



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XXXIV. *An Account of the Blue Shark, together with
a Drawing of the same.* By W. Watson, Jun. M. D.
F. R. S.

Read June. 4,
1778.

THE fish from which the drawing was made was taken on the Coast of Devonshire. It had got into shallow water, by which accident Mr. MARTIN, a very great lover of natural history, and who happened to be on the shore, was enabled to drag it out by the tail, and to kill it on the spot.

LINNÆUS places this animal in the class of amphibia, under the name of *squalus glaucus*, and makes use of ARTEDE's description, viz. *squalus fossula triangulari in extremo dorso, foraminibus nullis ad oculos*. As this fish is well described by RONDELETIUS and others, I shall only subjoin the following remarks. There are two triangular dents at the origin of the tail, both above and below; that which is on the back is biggest and deepest. No orifices are to be seen behind the eyes, as is usual with fishes of this *genus*. Two white membranes, one to each eye, perform the office of eye-lids. They are placed beneath under the external integuments, and
move




move upwards when they cover the eyes. It is furnished with five rows of teeth; these are triangular, and finely serrated^(a). The body is of a fine blue colour, dark on the back, lighter on the sides; the belly and all the under part of the fish white; the fins and tail were of a dirty blue; the colour of the blue part is exactly represented by different shades of indigo blue. When the head was placed downwards, a pretty large white pouch came out of its mouth. *ÆLIAN* supposes this to have served as an asylum to its young brood in time of danger. The length of the fish from the tip of the nose to the end of the tail was six feet eight inches; the length of the pectoral fin one foot four inches: the scale annexed to the drawing will give the measurement of the other parts. It was a female, and weighed fifty-five pounds. An outline of the under side of the head is added, in order to shew the situation of the mouth.

As I have never been able to see an accurate drawing of this fish, and as Mr. *PENNANT*, in his *British Zoology*, wishes a farther account may be given of it, I thought it not unworthy of the Society's notice. The fish itself was stuffed, and is now at the British Museum.


(a) I cannot ascertain how many rows of teeth belonged to each jaw, they being separated by boiling before they were properly examined.



Squalus






Squalus Glaucus



Scale of Feet .

Exocoetus Volitans






4

5

6

Exocoetus Volitans



T. Brown del.